

Datasheet



Inorganic Copper
Foliar / Soil



Multisite Contact Activity
MCA

COBBERS S

COMPOSITION

%w/v

Copper (Cu)	20 (200 g/L)
Copper sulfate	75 (750 g/L)
Sulfur (SO ₃)	26 (260 g/L)
Density:	1,4
pH:	4,5 - 5

Fungicide - Bactericide Cu
Deficiency Corrector

- **MULTISITE CONTACT ACTIVITY**
- **EXCELLENT CROP SAFETY AND LOW USE RATES**
- **CONSISTENT, SUB-MICRON PARTICLE SIZE FOR BETTER COVERAGE AND DISEASES CONTROL**
- **BETTER ADHESION AND COVERAGE**

CHARACTERISTICS

COBBERS S is a fungicide and contact bactericide, broad spectrum, preventive and curative action for the control of some diseases.

The smaller particle size in **COBBERS S** delivers better plant coverage, which means better protection against fungal and bacterial diseases. The premium formulation readily mixes in water and stays suspended longer than any other liquid formulation.

ACTIONS: KEY DISEASES CONTROLLED

	Alternaria	Collectrichum spp.	Phomopsis stem blight
	Anthracnose	Dieback	Phytophthora bud rot
	Bacterial leaf spot	Downy mildew	Pseudomonas leaf spot
	Bacterial soft rot	Entomosporium	Scab
	Bacterial spot	Exosporium leaf spot	Septoria leaf spot
	Black spots	Fire blight	Volutella leaf blight
	Botrytis	Leaf spot	Xanthomonas leaf spot
	Cercospora leaf spot	Pestalotia leaf spot	

FOLIAR APPLICATION

Crops	Dosage	Crops	Dosage
Citrus	75-125 cc/Hl	Olive	300-600 cc/Hl
Fruits Trees (Winter)	250-400 cc/Hl	Pistachio	200-400 cc/Hl
Forest nurseries	150-180 cc/Hl	Vegetable	150-180 cc/Hl
Herbaceous and Ligneous	150-250 cc/Hl	Vine	200-300 cc/Hl

Caution

Compatible with most insecticides and fungicides. Do not mix with acides or alkalis. Do not add amino acids. Shake well before use. Do not freeze.

