

tangel_{AGRO}

BION

Natural Biofungicide
& Bioinsecticide



BIOPROTECTION



BION

Natural Biofungicide
& Bioinsecticide

CHARACTERISTICS

- SYSTEMIC
- NATURAL
- ZERO RESIDUES
- CITRUS EXTRACT

BION is a natural fungicide, derived from citrus extract, with very low toxicity for animals and humans.

BION is a product that, due to its organic characteristics, can be used during the harvest because it leaves no residues (0 days safety term), ensuring a good conservation.



BION

Natural Biofungicide
& Bioinsecticide

COMPOSITION

%w/w

Citrus extract	25
Zinc (Zn)	2,5
Manganese (Mn)	1,2

- POLYVALENT
- GREAT SHOCK EFFECT
- THE BEST PARTNER FOR RESISTANCE MANAGEMENT
- OPTIMIZE SPRAYING
- NO SECURITY TERM
- LMR EXCENT
- IDEAL FOR INTEGRATED PRODUCTION PROGRAMS
- SUITABLE FOR ECOLOGICAL AGRICULTURE

Citrus extract
Foliar / Soil



BION

Natural Biofungicide
& Bioinsecticide

- VINES
- ARBORICULTURE
- MARKET GARDENING
- HORTICULTURE

CROPS

CROPS	USE
Aubergine	Aleurodes
Banana	Aleurode
Bell pepper	Oïdium
Blackcurrant	Oïdium
Black salsify	Oïdium
Cabbage	Aleurode
Carrot	Oïdium
Chrysanthemum	Rouille Blanche
Citrus	Cicadelles verte
Cucumber	Oïdium Aleurode
Curled endive	Oïdium

CROPS	USE
Corn salad	Oïdium
Endive	Oïdium
Gentian	Oïdium Aleurode
Kiwifruit	Cicadelles
Leek	Thrips
Lettuce	Oïdium Aleurode
Melon	Oïdium Aleurode
Ornamental fruits and shrubs	Oïdium
Parsley	Oïdium
Peach	Oïdium
Pepper	Aleurodes
Pickle	Oïdium Aleurode
Raspberries and other Rubus	Oïdium
Radish	Mildiou
Strawberrie tree	Oïdium
Rose	Oïdium Aleurode
Terragon	Oïdium Aleurode
Tobacco plant	Oïdium Aleurode
Tomato	Aleurodes
Various floral cultures	Oïdium Aleurode
Vine	Oïdium Mildiou
Zucchini	Oïdium Aleurode

BION

Natural Biofungicide
& Bioinsecticide



BIOINSECTICIDE

it acts on the cuticle of the insects causing their dehydration. Depending on the plague and its stage, it also causes death by suffocation, blocks flight and inhibits the laying of females.

Aphids, Mites, Mealybug, Withefly, Lepidoptera, Scale, Thrips, Sof-Body, Insect of Stage

BIOFUNGICIDE

Dehydrates the external structures of the fungus, including spores. Effects visible in 24 hours.

Powdery mildew, Botrytis, Rust, Foliar blight, Downy mildew

tangelAGRO

■ www.tangelagro.com

■ 0034 642 64 43 47

■ export@tangelagro.com